

PRODUCT DATASHEET

NAV-T S TT 250 W E40

VIALOX NAV-TT | High-pressure sodium vapor lamps for open and enclosed luminaires



TECHNICAL DATA


Electrical data

Nominal wattage	250.00 W
Rated wattage	250.00 W
PFC capacitor at 50 Hz	32 µF

Photometrical data

Luminous efficacy	102 lm/W
Color rendering index Ra	≤ 25
Color temperature	2000 K
Luminous flux	25500 lm

Dimensions & weight



E40
IEC 7004-24
DIN 49625

Diameter	47.0 mm
Length	257.0 mm
Light center length (LCL)	158.0 mm
Product weight	200.00 g

Lifespan

Lifespan	48000 h ¹⁾
----------	-----------------------

¹⁾ Average lifespan

Additional product data


Base (standard designation)	E40
Design / version	Clear
Mercury content	3.0 mg

Capabilities

Burning position	Any
------------------	-----

Country-specific categorizations

ILCOS	ST/T-250-H-E40-47/257
--------------	-----------------------



Circuit diagram

LOGISTICAL DATA

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4050300427690	NAV-T S TT 250 W E40	Shipping carton box 12	222 mm x 171 mm x 374 mm	14.20 dm ³	2676.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.