

Catalogue No: 1485R-P2R5-C

DNET CABLE THIN YELLOW MICRO-F 2M

Automation Systems > Gateways and Networks > Network Media > Allen-Bradley DeviceNet Media > DeviceNet™ Drop line - Connecting to a DeviceBox tap or Open-Style Tap from a Sealed Device > Micro Female to Flying Lead Cable



DeviceNet, Trunk End: Micro, Straight Female, Device End: Cable, Thin Media, Yellow CPE,



- Physically keyed to ensure proper connection alignment
- KwikLink™ Insulation Displacement Connectors provide easy installation and minimal labor.
- KwikLink™ reduces installation time by over 86% when compared to other manual terminations. Connectors can be KwikLink™ requires no cable or conductor stripping, screws, or terminating – minimizing potential for wiring errors and troubleshooting.
- Watertight connections (NEMA 4, 6P; IP 67) available for on machine installations.
- Commissioning and start-up time is reduced, improving overall time to market.

Representative Photo Only
(actual product may vary based on configuration selections)

SPECIFICATIONS


REFERENCES

IECEX Certificate	-
Supplier Declaration of Conformity:	-
Installation Guide:	-
User Manual:	-
Manufacturer Datasheet:	-
Manufacturer Catalogue & Product Selection:	-

Catalogue No: **1485R-P2R5-C**

DNET CABLE THIN YELLOW MICRO-F 2M

Automation Systems > Gateways and Networks > Network Media > Allen-Bradley DeviceNet Media > DeviceNet™ Drop line - Connecting to a DeviceBox tap or Open-Style Tap from a Sealed Device > Micro Female to Flying Lead Cable



Dimension Diagram